MIRAVIT[®] concept for poultry



MIRAVIT[®] - presented by the AGRAVIS Raiffeisen Group



A STATE

Land A

R.C.

What is MIRAVIT[®]?

It is a concept that comes from many years expertise in the field of practical nutrition.

This experience allows us to elaborate a product range and natural solution for the critical period.

Our mission is to walk on your side in the daily business.

We help you growing with unique, innovative, selected and advanced feeding tools.



Laying hens & parent stock

Period / Challenge	Solution	Description / Characteristics
Red mites	DESINTEC® M-Ex Profi 80	Biocide for combating pest insects, amor- phous silicon dioxide
	MIRAVIT [®] Gallux Relax	Supporting the natural defenses of red mites
Egg shell	MIRAVIT [®] CalPhos / Calcidiol	Calcidiol (25-OH-D3) supply
Digestive system	MIRAVIT [®] Eubisan 3000	Stabilization of the digestion and increa- sing resorption of nutrients

Broilers

Period / Challenge	Solution	Description / Characteristics
Digestive system	MIRAVIT [®] Eubisan 3000	Stabilisation of the digestion and increa- sing resorption of nutrients
Respiratory system	MIRAVIT [®] EukaMint liquid	Stabilisation of organism, e.g. after vaccination
Bone structure	MIRAVIT® CalPhos / Calcidiol	Improves bone structure and muscle tone





A Start



DESINTEC[®] M-Ex Profi 80

- Powder is suspendable in water in a ratio of 1:9
- Liquid spray system
- Easy to use
- High efficiency
- Time saving
- Approved to be used in presence of animals
- 160 L of liquid silicon dioxide mix to disinfect 150 200 m² surface
- Composition M-Ex Profi 80 is an amorphous silicon dioxide with > 80% SiO₂

Use Biocides carefully. Always read the label and product information before use.

MIRAVIT[®] Gallux Relax

Liquid feed supplement to support the natural defenses of red mites
• Reduces blood suckling

- Promotes epithelial cells healing
- Changes layer blood odour and flavour

Composition Nutritional additives: Mixture of flavourants

Dosage

In general to be applied in the drinking water

• Application period I:

• on 4 following days per week 0.50 | per 1,000 | of drinking water over 4 weeks.

• Application period II: from week 5

• Medium to high infestation of red mites:

on one permanent day per week 0.75 l per 1,000 l of drinking water; repetition each week

• Low infestation of red mites:

on one permanent day per week 0.75 l per 1,000 l of drinking water; repetition every 2 weeks



MIRAVIT[®] CalPhos / Calcidiol

2 component liquid feed supplement to be provided in the drinking water

- Critical growth phases
 - Increases muscle tone
 - Egg shell strengthening
 - Weak bones in broilers

Composition

CalPhos component: Calcium, phosphourus Calcidiol component: 25-Hydroxycholecalciferol, Vitamin D3

Dosage

• Laying hens:

From week 40th until the end of production, when Ca absorption is decreased

2 | CalPhos / 1,000 | drinking water
2 | Calcidiol / 1,000 | drinking water
Treatment 3 days during 4 weeks

Broilers:

On day (5-7) or (4-6) • 2 | CalPhos / 1,000 | drinking water • 2 | Calcidiol / 1,000 | drinking water Treatment 3 days during 4 weeks





A TRACT



MIRAVIT[®] Eubisan 3000

Liquid feed supplement for broilers, turkey and laying hens to stabilise the physiological digestion in stress situations and stimulate the appetite.

- Increased feed intake
- Support enzyme activities
- Optimised resorption of nutrients
- Stabilisation of the physiological digestion in stress situations.

Composition

Sensory additives: Oregano oil, cinnamon oil, aniseed oil Technological additive: Citric acid

Dosage

Broilers:	Day 0-4 200 ml/1,000 l
	Day 8-10 200 ml/1,000 l
	Day 20-22 250 ml/1,000 l
	Day 2-4 after preliminary removal 250 ml/1,000 l

- Laying hens: LW 21-24 each 3 days/week 250 ml/1,000 l
 Thereafter every 4 weeks for 3 days 200 ml/1,000 l
- Turkeys: Do not provide to turkey chicks during the first 14 days of life!!! In LW 5 for 3 days 200 ml/1,000 l From LW 6 every 2 weeks for 3 days 250 ml/1,000 l



Alt A

MIRAVIT[®] EukaMint liquid

Liquid feed supplement to stabilize the organism in stress situations and during climate changes. Based on essential oils

- Mucolytic and expectorant
- Stimulates immune system after vaccination
- Stimulates the appetite

Composition

Sensory additives: Mixture of flavourants 285 000 mg / kg

Dosage

 Broilers, turkey, laying hens:
 0.010-0.020% EukaMint liquid concentrate is mixed into the drinking water or feed (equivalent to 100-200 ml per 1000 l of water, 1000 l of liquid feed or 1000 kg of mixed feed)

Provision 2x per week for a whole day (24 h) after selective slaughtering of broiler



contact

VitaVis GmbH Industrieweg 110 48155 Münster / Germany

info-miravit@miravit.de www.miravit.de

Telephone 0049 251 682 2985

